

Where the best comes together

Live

Frolic

Indulge


Ascent @ 456 brings together the best of the heritage of Balestier Road; a trading post for more than 100 years. The national monuments, renovation and lighting shops, famous eateries, new shopping malls and integrated developments come together, providing a haven of both retail and dining indulgences with private sanctuaries to retreat to. You can revel in the vibrancy and colour of the area, or watch it behind the calm and serenity of your private refuge. The choice is yours.



N

Only minutes away from Orchard Road, the Marina South area, and major expressways, getting to where you want to be is a breeze. Dining out has never been so filled with choices - with hawker centres, traditional pastries and popular restaurants, all within walking distance.

and reservoirs set just a short drive away. The nearby prestigious schools, medical



























SITE PLAN

Facilities


LEGEND:

- 1 Pool
- 2 Pool Deck
- 3 Outdoor Gym
- 4 Shower Point
- 5 Children Playground
- 6 BBQ Corner
- 7 Communal Garden at 7th Storey
- 8 Ingress / Egress
- 9 M&E Services at RC Roof

COMMERCIAL **DUAL FLOOR UNITS**

Basement 1

#01-01, #01-02, #01-03, #01-04, #01-05



1st Storey

#01-01 74 sq m / 796 sq ft (Including Basement 1 of #01-01)

#01-02 59 sq m / 635 sq ft (Including Basement 1 of #01-02)

#01-03 75 sq m / 807 sq ft (Including Basement 1 of #01-03)

#01-04 68 sq m / 732 sq ft (Including Basement 1 of #01-04)

#01-05 90 sq m / 969 sq ft (Including Basement 1 of #01-05)







LEGEND:


Retail

Restaurant

COMMERCIAL

2nd Storey

#02-01 #02-04 #02-07 #02-10 52 sq m / 560 sq ft 41 sq m / 441 sq ft 87 sq m / 936 sq ft 42 sq m / 452 sq ft #02-02 #02-05 #02-08 #02-11 25 sq m / 269 sq ft 56 sq m / 603 sq ft 89 sq m / 958 sq ft 38 sq m / 409 sq ft #02-03 #02-06 #02-09 #02-12 35 sq m / 377 sq ft 50 sq m / 538 sq ft 39 sq m / 420 sq ft 38 sq m / 409 sq ft



Note: All Areas Indicated are inclusive of A/C ledge space

COMMERCIAL SPECIFICATIONS

1. FOUNDATION

Reinforced concrete footings and/or raft and/or bored piles and/or pre-cast reinforced concrete piles.

2. SUBSTRUCTURE & SUPERSTRUCTURE

Reinforced concrete using Grade 30 to 50 manufactured from ordinary Portland cement complying with BS12/SS26 and steel reinforcement bar complying with BS4449/SS2.

WALL

External

Internal

: Precast panel and/or reinforced concrete and/or alass panel and/or brick wall and/or metal

cladding.

Precast panel and/or reinforced concrete and/or dry wall and/

or brick wall.

4. ROOF

RC Flat Roof: Reinforced concrete roof with waterproofing system.

5. CEILING [FOR ALL UNITS]

- a) Shops and Restaurants Bare finish.
- b) Entrance Foyer, Walkways and Corridors Plaster board ceiling with emulsion paint.
- c) Common Toilets and Handicapped Toilet Plaster board ceiling with emulsion paint.

a) Internal Wall [For all Units]

i) Shops and Restaurants

Skim coat and/or cement and sand plaster with emulsion paint at maximum 3.5m height and/or fixed glass panel.

b) Walls [Common Areas]

i) Lift Lobby, Staircases and Landing (Basement 1, 1st & 2nd Storey)

Cement and sand plaster or skim coat with emulsion paint and/or polyurethane paint and/or laminates laid up to false ceiling height.

ii) <u>Walkways and Corridors</u>

Cement and sand plaster or skim coat with polyurethane paint.

iii) Common Toilets and Handicapped Toilet Homogeneous and/or ceramic tiles laid up to false ceiling height and on exposed surface only.

iv) External Wall

Cement and sand plaster with weather shield paint and/or spray textured coating and/or metal cladding and/or glass cladding.

c) Floor [For all Units]

i) Shops and Restaurants Bare finish (no floor finishes).

d) Floor [Common Areas]

i) Lift Lobby & Common Walkway (Basement 1, 1st & 2nd Storey)

Homogeneous and/or ceramic and/or granite tiles.

ii) Staircase and Landing (Basement 1, 1st, 2nd & M&E Storey)

Cement and sand screed with nosing tiles.

iii) Corridors, Common Toilets and Handicapped

Homogeneous and/or ceramic tiles.

a) Shops (units #01-01, #01-02, #01-03, #01-04, #01-05, #02-01, #02-02, #02-03, #02-04, #02-05, #02-06, #02-07, #02-08 only)

Fixed glass window panel.

Note: a) All aluminum frames, where applicable, shall be powder coated finish.

- b) All glazing shall be min. 6mm thick glass.
- c) All glazing below 1m shall be laminated
- d) All glazing to be plain float and/or tinted

8. DOORS

a) For Commercial Units

i) Shops (units #01-01, #01-03, #01-05 only) and Restaurants (units #01-02 & #01-04 only)

Glass door at 1st storey c/w auto-sensor and approved fire rated timber door at basement 1.

ii) Shops (units #02-01, #02-02, #02-03, #02-04, #02-05, #02-06, #02-07, #02-08, #02-09, #02-10, #02-11, #02-12) Glass door

b) For Common Areas

i) Main Commercial area Entrance (1st Storey

Glass door at 1st storey c/w auto-sensor.

ii) Lift Lobby

Approved fire rated timber door c/w auto-sensor (where applicable)

iii) Common Toilets and Handicapped Toilet Aluminum door.

9. IRONMONGERY

Glass doors and all approved fire rated timber doors shall be provided with good quality imported lockset.

10. SANITARY FITTINGS [FOR COMMON AREA]

- a) Common Toilets and Handicapped Toilet
 - water closet and/or urinal - wash basin with tap
 - paper holder
 - mirror
 - hand drver
 - soap dispenser

11. ELECTRICAL INSTALLATION

- a) Concealed electrical wiring in conduits where applicable.
- b) Where there is a false ceiling, the electrical wiring will be in surface mounted conduit in the ceiling space.
- c) The routing of services within the units shall be at the sole discretion of the Architect and Engineers.

12. TV/ CABLE SERVICES/TELEPHONE POINT

Refer to Electrical Schedule for details.

13. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with the Singapore Standard SS 555:2010.

14. PAINTING

a) Internal Walls: Water based emulsion paint and/or polyurethane paint.

b) External Walls: Textured coating and/or weather shield paint finish

to designated areas.

15. AUTOMATED-MECHANICAL CARPARK SYSTEM

- a) Total of 37 mechanical car park lots (see schedule 2 of Sales & Purchase Agreement).
- b) The mechanical car park lots are designated for cars not bigger than 5.20m (L) x 2.15m (W) x 1.99m (H).

16. WATERPROOFING

Waterproofing to Walkway (1st Storey) and to the floors of kitchen at restaurant #01-02 and #01-04 only, Common toilets and Handicapped toilet, and AC ledges at M&E storey.

17. ENTRANCE DRIVE WAY

a) Concrete pavers and/or heavy duty granite tiles and/or heavy duty homogenous and/or ceramic tiles.

18. OTHER ITEMS

- a) Common Grease Trap and Kitchen Exhaust Air Duct
 - Serving Restaurant units #01-02 and #01-04 only.
- b) Floor Trap & Incoming Water Supply (provided with individual metering)

 For all shops
- c) Air-conditioning is provided to common internal walkways and corridors only.
- d) Escalator serving 1st to 2nd Storey only.
- e) Lift serving Basement 1, 1st storey and 2nd Storey only.
- f) Roller shutter is provided for shops at Basement 1 (#01-01, #01-02, #01-03, #01-04, #01-05).

ELECTRICAL SCHEDULE FOR SHOP


Unit No.	Isolator Provision	RJ45 Patch panel	Fibre Termination Point	13A \$/\$/O
#01-01	60A TP&N	1	1	1
#01-02	100A TP&N	1	1	1
#01-03	60A TP&N	1	1	1
#01-04	100A TP&N	1	1	1
#01-05	60A TP&N	1	1	1
#02-10	60A TP&N	1	1	1
#02-09	60A TP&N	1	1	1
#02-08	60A TP&N	1	1	1
#02-07	60A TP&N	1	1	1
#02-06	60A TP&N	1	1	1
#02-05	60A TP&N	1	1	1
#02-04	60A TP&N	1	1	1
#02-03	60A TP&N	1	1	1
#02-02	60A TP&N	1	1	1
#02-01	60A TP&N	1	1	1
#02-11	60A TP&N	1	1	1
#02-12	60A TP&N	1	1	1


RESIDENTIAL UNIT DISTRIBUTION CHART

		_				
#12-01 Aa	#12-02 A1a					
#11-01 Aa	#11-02 Ala					
#10-01 Aa	#10-02 A1a					
#09-01 Aa	#09-02 A1a					
#08-01 Aa	#08-02 A1a					
#07-01 Aa	#07-02 A1a					
#06-01 A	#06-02 A1	#06-03 A2	#06-04 A3			
#05-01 A	#05-02 A1	#05-03 A2	#05-04 A3			
#04-01 A	#04-02 A1	#04-03 A2	#04-04 A3			
#03-01 A-G	#03-02 A1-G	#03-03 A2-G	#03-04 A3-G			
M&E STOREY						
COMMERCIAL						
	COMMERCIAL					
	COMMERCIAL					

Type A-G


3 Bedroom #03-01 64 sq m / 689 sq ft (Inclusive of Roof Terrace and AC Ledge)









3 Bedroom #04-01, #05-01, #06-01 64 sq m / 689 sq ft (Inclusive of Balcony and AC Ledge)






Type Aa


3 Bedroom #07-01, #08-01, #09-01, #10-01, #11-01, #12-01 64 sq m / 689 sq ft (Inclusive of Balcony and AC Ledge)









3 Bedroom #03-02 64 sq m / 689 sq ft (Inclusive of Roof Terrace and AC Ledge)






Type A1


3 Bedroom #04-02, #05-02, #06-02 64 sq m / 689 sq ft (Inclusive of Balcony and AC Ledge)






Type Ala


3 Bedroom #07-02, #08-02, #09-02, #10-02, #11-02, #12-02 64 sq m / 689 sq ft (Inclusive of Balcony and AC Ledge)






Type A2-G


3 Bedroom #03-03 77 sq m / 829 sq ft (Inclusive of Roof Terrace and AC Ledge)






3 Bedroom #04-03, #05-03, #06-03 70 sq m / 753 sq ft (Inclusive of Balcony and AC Ledge)










3 Bedroom #03-04 70 sq m / 753 sq ft (Inclusive of Roof Terrace and AC Ledge)







Type A3


3 Bedroom

#04-04, #05-04, #06-04

70 sq m / 753 sq ft









The above plans are subject to changes as may be approved by relevant authorities. Plans are not drawn to scale.

The above plans are subject to changes as may be approved by relevant authorities. Plans are not drawn to scale.

RESIDENTIAL SPECIFICATIONS

1. FOUNDATION

Reinforced concrete footings and/or raft and/or bored piles and/or pre-cast reinforced concrete piles.

SUBSTRUCTURE & SUPERSTRUCTURE

Reinforced concrete using Grade 30 to 50 manufactured from ordinary Portland cement complying with BS12/SS26 and steel reinforcement bar complying with BS4449/SS2.

WALL

External

: Precast panel and/or reinforced concrete and/or glass panel and/or brick wall and/or metal claddina.

Internal

: Precast panel and/or reinforced concrete and/or dry wall and/ or brick wall.

4. ROOF

RC Flat Roof: Reinforced concrete roof with appropriate water-proofing and insulation where provided.

5. CEILING

a) For all Units

i) Living, Dining, Master Bedroom, Bedroom 2, Bedroom 3 and Household Shelter Skim coat with emulsion paint and plaster board box up (where applicable).

ii) Kitchen, Master Bathroom and Bathroom 2 Plaster board ceiling with emulsion paint.

iii) Balcony

Skim coat and/or bulkhead with emulsion paint (where applicable).

b) Common Areas

i) Lift Lobby (1st, 3rd - 12th Storey) Plaster board ceiling with emulsion paint.

ii) Staircase (3rd - 12th Storey) Skim coat with emulsion paint.

6. FINISHES

a) Internal Wall [For all Units]

i) Living, Dining, Master Bedroom, Bedroom 2 and Bedroom 3

Skim coat and/or cement and sand plaster with emulsion paint.

ii) Kitchen

Cement and sand plaster with emulsion paint and/or homogenous and/or ceramic tiles laid up to false ceiling height and/or glass backing on exposed surface only.

iii) Master Bathroom & Bathroom 2

Homogeneous and/or ceramic tiles laid up to false ceiling height and on exposed surface only

iv) Household Shelter Skim coat with emulsion paint.

b) Walls [Common Areas]

i) Internal Wall

• Lift Lobby (1st Storey) Homogeneous and/or ceramic tiles laid up to false ceiling height on exposed surface only.

• Lift Lobby (3rd - 12th Storey)

Skim coat and/or cement and sand plaster with emulsion paint and/or homogeneous and/or ceramic tiles laid up to false ceiling height on exposed surface only.

• Staircase & Landing (3rd - 12th Storey) Cement and sand plaster or skim coat with emulsion paint.

ii) External Wall

Skim coat and/or cement and sand plaster with weather shield paint and/or spray textured coatina.

c) Floor [For all Units]

i) Living, Dining, Kitchen and Household Shelter Homogeneous and/or ceramic tiles.

ii) Master Bedroom, Bedroom 2 and Bedroom 3 (subject to selected option)

Option 1: Timber strips (default finishes).

Option 2: Homogeneous and/or ceramic tiles.

iii) Master Bathroom, Bathroom 2, Balcony and **Roof Terrace** Homogeneous and/or ceramic tiles.

d) Floor [Common Areas]

i) Lift Lobby (1st, 3rd - 12th Storey) Homogeneous and/or ceramic tiles.

ii) Staircase and Landing (3rd Storey to 12th Storey)

Cement and sand screed with nosina tiles.

iii) Pool Deck, BBQ Area and Shower Natural timber and/or fibre-cement board decking and/or Homogeneous and/or ceramic tiles and/or granite tiles where applicable.

iv) Outdoor Gym and Children Playground EPDM.

7. WINDOWS

a) Living, Dining, Master Bedroom, Bedroom 2 and Bedroom 3

Aluminum framed window with double glazed fixed glass panel.

b) Master Bathroom and Bathroom 2 Aluminum framed window.

Note: a) All aluminum frames shall be powder coated finish.

- b) All alazing shall be min, 6mm thick glass.
- c) All windows are either sliding or side hung or top hung or bottom hung or louvred or any combination of the mentioned.
- d) All glazing below 1m shall be laminated glass.

8. DOORS

a) For all units

i) Main Entrance

Approved fire-rated timber door.

ii) Balcony / Roof Terrace

Aluminum framed sliding and/or swing door.

iii) Master Bedroom, Bedroom 2, Bedroom 3, Master Bathroom and Bathroom 2 Hollow-core timber door.

iv) Household Shelter

Metal door as approved by relevant authority.

9. IRONMONGERY

Main Entrance door and other hollow-core timber doors shall be provided with good quality imported lockset.

10. SANITARY FITTINGS

a) Master Bathroom

- 1 shower screen with shower mixer, rain shower and shower hose
- 1 wash basin c/w vanity cabinet
- 1 water closet
- 1 mirror cabinet
- 1 paper holder
- 1 tower rail

b) Bathroom 2

- 1 shower screen with shower mixer and shower hose
- 1 wash basin c/w vanity cabinet
- 1 water closet
- 1 mirror
- 1 paper holder
- 1 tower rail

c) Kitchen

- 1 kitchen sink
- 1 lever tap

11. ELECTRICAL INSTALLATION

- a) Concealed electrical wiring in conduits where applicable.
- b) Cable-Readiness to comply with authorities' requirements.
- c) Where there is a false ceiling, the electrical wiring will be in surface mounted conduit in the ceiling space.
- d) The routing of services within the units shall be at the sole discretion of the Architect and Engineers.
- e) Refer to electrical schedule for detail.

12. TV/CABLE SERVICES/TELEPHONE POINT

Refer to Electrical Schedule for details.

13. LIGHTNING PROTECTION

Lightning Protection System shall be provided in accordance with the Singapore Standard SS 555:2010.

14. PAINTING

a) Internal Walls: Emulsion Paint.

b) External Walls: Textured coating and/or weather shield paint finish to designated areas

15. AUTOMATED-MECHANICAL CARPARK

SYSTEM a) Total of 37 mechanical car park lots with

allocated 1 car park lot per unit.

b) The mechanical car park lots are designated for cars not bigger than 5.20m (L) x 2.15m (W) x 1.99m (H).

16. ENTRANCE DRIVE WAY

a) Concrete pavers and/or heavy duty aranite tiles and/or heavy duty homogenous and/ or ceramic tiles.

17. WATERPROOFING

Waterproofing to floors of Kitchen, Master Bathroom, Bathroom 2, Balcony, Roof Terrace and Reinforced Concrete Flat Roof.

18. RECREATIONAL FACILITIES

- a) Swimming Pool est. 104 sqm.
- b) Communal Garden at 7th Storey est. 109 sqm.
- Pool Deck est. 86 sqm.
- d) Outdoor Gym est. 26 sqm.
- Barbeque Area est. 12 sqm.
- f) Children's Playground est. 18 sqm.

19. OTHER ITEMS

a) Wardrobes

Pole-system wardrobes in selected anodized metal finish to all bedrooms.

b) Kitchen cabinets

Built-in high and low level kitchen cabinets in selected laminate finish with stainless steel sink, electric hob, cooker hood, microwave-oven, refrigerator and washing machine cum dryer.

- c) Air-conditioning to Living, Dining, Master Bedroom, Bedroom 2 and Bedroom 3.
- d) Hot water supply to Master Bathroom, Bathroom 2.

20. SECURITY SYSTEM

- a) Audio/video intercom (from unit to 1st lobby)
- b) Audio intercom (from unit to security at management office)
- c) Card Access for residential passenger lift and automated-mechanical car park system only.

While every reasonable care has been taken in preparing this brochure and the plans attached, the developer and its agents cannot be held responsible for any inaccuracies therein. All statements, specifications and plans are believed to be correct but not to be regarded as statements or representations of fact. Visual representations, illustrations, photographs and renderings are intended to portray only impressions of the development and cannot be regarded as representation of facts. Photographs or images contained in this brochure do not necessary represent as built standard specifications. All information and specifications are current at the time of press and are subject to change as may be required and cannot form part of an offer or contract. All plans are subject to amendment approved by the building authorities. Floor area are approximate measurements and subject to final survey. The choice of brand and model of fittings, equipments, installation and appliances supplied shall be at the sole discretion of the Vendor.

ELECTRICAL SCHEDULE FOR RESIDENTIAL UNIT

		Unit Type							
Items	A, Aa	A1, A1a	A2	А3	A-G	A1-G	A2-G	A3-G	
Lighting Point	13	12	15	14	13	12	15	14	
13A Switched Socket Outlet	23	22	23	23	23	22	23	23	
13A Switched Socket Outlet For Washing Machine	1	1	1	1	1	1	1	1	
Water Heater Point	2	2	2	2	2	2	2	2	
Aircon Isolator	3	3	3	3	3	3	3	3	
SCV Outlet	5	5	5	5	5	5	5	5	
Telephone Outlet	5	5	5	5	5	5	5	5	
Fibre Optic Point	1	1	1	1	1	1	1	1	
Cooker Hood Point	1	1	1	1	1	1	1	1	
Cooker Hob Point	1	1	1	1	1	1	1	1	
Oven Point	1	1	1	1	1	1	1	1	
Audio Video Intercom Unit	1	1	1	1	1	1	1	1	
Bell Push C/W Bell Point	1	1	1	1	1	1	1	1	

NOTE: 1) ALL ISOLATORS FOR CU ARE SUBJECTED TO A/C EQUIPMENT CONFIGURATION

Another Prestigious Development by

TA Corporation Ltd



While all reasonable care has been taken in preparing this brochure, the developer and its agent cannot be held responsible for any inaccuracies. All statements are believed to be correct but are not to be registered as statements or representation of facts. All information and specifications are current at time of printing and are subject to change as may be required and cannot form part of the contract. All plans are subject to any amendments approved by the relevant authorities. Floor areas are approximate measurements and subject to final survey. All plans are not drawn to scale. Likewise the perspectives, model(s) and show flats are artist's impressions only and should not be considered as representation of facts.

